

FORM PTO-1390 (REV 10-94)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				097037
				U.S. APPLICATION NO. (if known, see 37 C.F.R. 1.5) 09/125711
INTERNATIONAL APPLICATION NO. PCT/SE97/00293	INTERNATIONAL FILING DATE 21 February 1997	PRIORITY DATE CLAIMED 23 February 1996		
TITLE OF INVENTION DISPLAY ARRANGEMENT AND METHOD				
APPLICANT(S) FOR DO/EO/US SHALIT, Tomer				
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:				
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371 3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 4. <input type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US) 6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 				
Items 11. to 16. below concern document(s) or information included:				
11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.				
12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.				
13. <input type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.				
14. <input type="checkbox"/> A substitute specification.				
15. <input type="checkbox"/> A change of power of attorney and/or address letter.				
16. <input checked="" type="checkbox"/> Other items or information: Published International Application with Search Report and International Preliminary Examination.				
<p style="text-align: right;">CERTIFICATE OF MAILING BY "EXPRESS MAIL"</p> <p style="text-align: right;">"Express Mail" Mailing Label Number <u>EH592542247US</u></p> <p style="text-align: right;">Date of Deposit <u>08/24/98</u></p> <p style="text-align: right;">I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service Under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents & Trademarks, Washington, DC 20231.</p> <p style="text-align: right;">Merri C. Merrill</p> <p style="text-align: right;">(Typed or Printed Name of Person Mailing Paper or Fee)</p> <p style="text-align: right;"><i>Merri Merrill</i></p> <p style="text-align: right;">Signature of Person Mailing Paper or Fee</p>				

PCT/SE97/00293

097037

17. ☒ The following fees are submitted:**BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)):**

Search Report has been prepared by the EPO or JPO..... \$930.00

International preliminary examination fee paid to USPTO (37 CFR 1.482)
..... \$720.00No international preliminary examination fee paid to USPTO (37 CFR 1.482)
but international search fee paid to USPTO (37 CFR 1.445(a)(2)).. \$790.00Neither international preliminary examination fee (37 CFR 1.482) nor
international search fee (37 CFR 1.445(a)(2)) paid to USPTO..... \$1,070.00International preliminary examination fee paid to USPTO (37 CFR 1.482)
and all claims satisfied provisions of PCT Article 33(2)-(4)..... \$98.00**ENTER APPROPRIATE BASIC FEE AMOUNT =****CALCULATIONS PTO USE ONLY**

\$ 930.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30
months from the earliest claimed priority date (37 CFR 1.492(e)).

\$

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	16 -20 =	0	X 22.00

\$ 0

Independent claims	2 -3 =	0	X 82.00
--------------------	--------	---	---------

\$ 0

MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+270.00
---	--	--	---------

\$ 270.00

TOTAL OF ABOVE CALCULATIONS =

\$ 1,200.00

Reduction by 1/2 for filing by small entity, if applicable. Verified Small Entity Statement
must also be filed (Note 37 CFR 1.9, 1.27, 1.28).

\$ 600.00

SUBTOTAL =

\$ 600.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30
months from the earliest claimed priority date (37 CFR 1.492(f)).

\$

TOTAL NATIONAL FEE =

\$ 600.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be
accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +

\$

TOTAL FEES ENCLOSED =

\$ 600.00

Amount to be:

refunded \$

charged \$

a. ☒ A check in the amount of \$ 600.00 to cover the above fees is enclosed.b. ☐ Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
overpayment to Deposit Account No. 10-1202. A duplicate copy of this sheet is enclosed.**NOTE:** Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR
1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SIGNATURE

Joseph H. Golant

NAME

24,210

REGISTRATION NUMBER

SEND ALL CORRESPONDENCE TO :

Joseph H. Golant, Esq.
Jones, Day, Reavis & Pogue
77 West Wacker Drive, Suite 3500
Chicago, IL 60601-1692

Phone: (312) 782-3939

Fax: (312) 782-8585

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant or Patentee: SHALIT, Tomer
Serial No.: 09/125,711
Filed or Issued: 24 August 1998
For: "Display Arrangement and Method"
(Related to: International Application No. PCT/SE97/00293; I.A.
filing date 21 February 1997; priority date 23 February 1996)

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) and 1.27(b)—INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled

"Display Arrangement and Method"

and described in

☐ the specification filed herewith
☒ application serial no. 09/125,711
filed 24 August 1998
☐ Patent no. _____, issued _____

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:


☒ no such person, concern, or organization
☐ persons, concerns or organization listed in the Appendix hereto

400 400

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

SHALIT, Tomer
NAME OF INVENTOR


Signature of Inventor

Stockholm 990209
Date

1031956

WO 97/31333

PCT/SE97/00293

Display arrangement and method

Technical field

The present invention relates to a tracking device and a method for a sensory feedback from a cursor status for a cursor with graphical details being scanned or passed in connection with a program or comprising it. More specifically the invention provides a signal to be generated for a sensory feedback generating a movement of the tracking device.

State of the art

The user interface in form of a window (Window³) as a facility to access special program functions in a data program is found in almost every modern interface. The program basing on the use of windows comprises also function keys in e.g. key rows, screen and display delimiters and icons, so-called graphic symbols.

To achieve access to the functions contained in the symbols a cursor is controlled by means of a tracking device (computer mouse, trackball, pointer, etc.) over a display unit showing the symbols, the function of the symbol being produced by e.g. pressing a key with one or several touches.

A problem with the control of the cursor to effect the symbols arises when it is difficult to fix the cursor to the symbol in a distinct way to let the touches have the desired effect.

It is easier to hit e.g. keys situated at the edge of a display than one in its centre. To hit a key at the edge the computer mouse is pulled quickly in the right direction to reach the key. It has no importance if the computer mouse is pulled too far. The cursor will anyhow stop at the edge. To hit a key situated e.g. in the centre of the display frame more coordination is however required by a user of the computer mouse to hit the target, thus, the user must e.g. slow down the tracking device before the key is reached to let the cursor land on the key. This step takes time and might be difficult and might even give the user stress and irritation.

A further problem, which is related to the use of tracking devices for said object, is that the user requires a simultaneous feature, i.e. to e.g. quickly localize the key for the memorizing function in a program without necessarily having to let the eye scan the display unit.

In the european parent application EP-A1-0,607,580 a computer mouse with a pin is described receiving signals from a host computer unit effecting the pin which generates

4/pets

09125711-030499

sensory signals to a users finger top e.g. when the cursor status is altered.

The invention according to said EP-application is, however, not without problems in that a finger top must be kept in contact with the pin. Ergonomic studies have shown that the user of a computer mouse when continuously using the computer mouse hardly can keep the finger tops over the same spot over a longer period of time. This is easily understood by ordinary people as some users are easily seized with cramp, writing cramps being a well known complaint. Furthermore, some people suffer from a lighter or heavier trembling. Thus the computer mouse with a pin is restricted in its use for a not negligible part of the users of tracking devices.

10

Summary of the invention

The present invention intends to solve above mentioned problems related to a window interface and similar in a new and innovative manner.

To achieve said object of the invention it is for marking graphical details in connection with or comprised in the program proposed a tracking device as a user interface for the access of program functions comprised in the details.

A cursor as a tracking device controlling on a display receives a sensory feedback from status signals for a user of the cursor in a host unit, when the cursor hits or passes said graphical details, in such a way that means arranged in the tracking device generate a movement of the tracking device.

The movement of the tracking device consists of that it vibrates, bounces, bumps or slants.

The cursor might be fixed within the limits of optional details, even three-dimensional ones, when the cursor hits the limit or passes it and the cursor is thus released by pushing the tracking device mantle downwards.

A graphical detail might be an icon, a key, a window or a border limiting the window.

Alternatively, graphical details in form of key rows provide various sensory feedback depending on the key and its function.

In a further alternative the cursor being fixed within a detail, is free to move within the borders of the detail.

The cursor, being fixed within a three-dimensional object or detail, is possibly free to move within the volume of the object or the detail in an embodiment with the cursor

00135711-030499

The invention will be described here below more in detail with reference to the attached figures of the drawings, where

Figure 2 schematically illustrates an alternative sensory feedback in a tracking device according to figure 1.

15 **Figure 4** schematically illustrates in an exploded view of the computer mouse an embodiment of how a means might be arranged in the computer mouse to achieve a movement of the computer mouse,

Detailed description of preferred embodiments

25 Figure 1 illustrates schematically a computer mouse 10 connected to a host unit 12 in form of a computer, here a PC, with a display unit 14 and a key board 16.

30 The computer mouse 10 consists of a casing 20 movable in relation to a bottom portion 18 and the conventional function keys 22, 24. Furthermore, the computer mouse is connected to a host unit 12, 14, 16 by means of a signal cable 26 comprising signal lines for

a track balls, here not shown, transmitters in the x and y-direction. Furthermore, the signal cable comprises lines for transmitting status signals for the cursor 28 from a cursor controller comprised in the host unit 12, 14.

The display 14 shows schematically in its frame 30 how the interface might be in a window environment. The frame 30 besides the display cursor 28 a window 32, an icon 34, a display border 36, a line of three keys 40, 42, 44 and three areas with special attributes not to be described in detail.

When the cursor 28 by means of the computer mouse 10 is moved towards or over the periphery 32, 34, 36, 40, 42, 44 of a graphical detail the host unit 12, 14 in one embodiment of the invention generates by means of the cursor controllers status (x- and y-coordinates, status flags, etc.) for the cursor 28 a sensory feedback in form of a signal by means of signal lines in the cable 26. The signal provides that a means arranged in the computer mouse 10 generates a movement of the computer mouse 10, e.g. in a form that the computer mouse vibrates, bounces, bumps, slants, etc.

In an alternative embodiment even the cursor 28 is fixed within the borders, but preferably in such a way, that it is free to move between the borders, e.g. between the borders 32 and 34 for the window and the icon, respectively, if it is fixed within the window.

In fixing the cursor 28 within a graphical detail the status register for the cursor 28 is initiated that a signal is sent to the computer mouse 10 with its casing 20 receiving a sensory feedback in that the cursor 28 has been fixed within or to a graphical detail 32, 34, 36, 40, 42, 44. In the present embodiment the casing 20 vibrates 46 in relation to the bottom portion 18. The complete computer mouse might eventually vibrate in an embodiment without any specific casing and specific bottom portion. A tracking device 10 might instead of vibrating bounce or bump each time the cursor is moved towards or fixed onto a graphical detail.

The vibrations can be achieved by means of devices such as electromagnets, piezoelectric transmitters, composite metals and other devices available in the market possibly achieving vibrations.

Furthermore, the graphical detail, in which the cursor 28 has been fixed, might in another embodiment be identified by means of the vibration frequency. In most cases it is quite sufficient that a few graphical details are to be identified by means of the vibration frequency, e.g. by means of an enter key, here designates 40, so that a simultaneous effect

is achieved in that e.g. a program or a data file has to be entered. This is achieved without the user necessarily sweeping or drifting with his eyes over the frame 30 to find the enter key 40. In principle most graphical details might, however, be provided with a specific code by means of the vibration frequency.

5 The cursor 28 being fixed within a frame it must be possibly released from this fixation. According to an embodiment of the present invention this is achieved in that the computer mouse 10 or any other used tracking device is exerted to a pressure downwards effecting a signal transmitter, e.g. a pressure transmitter, to change the status of the cursor 28, the user then feeling as if it presses out the cursor or is diving under the edge of the
10 border, thus improving the perception of the process on the frame 30. In feeling that the cursor is sliding over e.g. a key 40 the picture of the key 40 is elucidated. In a similar way the picture of a window 32 is intensified.

A parallel to the present invention is the introduction of shadows in graphical interfaces. In that the user can see the shadow of an interface, such as a window, it becomes
15 much easier to understand the concept with several layers in windows, i.e. windows overlapping each other. This provides a three-dimensional effect and improves the aesthetic aspect and provides even an improvement of the users perception of the interface rendering it more effective. The present invention achieves similar features which provides the parallelism.

In figure 2 is shown another embodiment of a sensory feedback according to the
20 invention.

Figure 2 schematically illustrates the computer mouse 10, the casing 20 being movable in relation to the bottom portion 18, slants to the right in the figure, marked by a downwards pointing arrow as a sensory feedback from the status register of the cursor 28. The slanting might even be achieved forwards, backwards, to the left, etc. Thus, the
25 corresponding slanting indicates a code. The slanting to the right might e.g. imply the key for the entering function 40. In the same way, the other slanting positions might indicate the code for another graphical detail 32, 34, 36, 40, 42, 44. Furthermore, alternating slanting positions for a feedback might indicate further codes.

Meanss for slanting the computer mouse 10 might consist of electromagnets, relays,
30 etc.

To leave a fixation within the limited area of a graphical detail or its periphery it is illustrated in figure 3. how the casing of the computer mouse 10 is pressed against the

bottom portion 18, a pressure transmitter e.g. generating a signal to the cursor 28 to leave a limited area, where it previously had been fixed. As already mentioned the computer mouse 10, with the casing 20 and the bottom portion forming together a unit, even by means of a convenient arrangement is provided with a pressure transmitter to achieve signals releasing the cursor 28.

Regarding the arrangement of means adapted to generate the sensory feedback in a tracking device it is preferably design precautions for the man of the art, but with reference to figure 4 an embodiment is exemplified how the means might be arranged within a computer mouse 10.

Figure 4 illustrates, how an electromagnet 50 by means of screws is arranged in a means of attachment 52, here fixed by means of screws in the bottom portion 18 of the computer mouse 10. Between the casing 20 and the bottom portion 18 a resilient means 56 is placed. When the computer mouse 10 receives the sensory feedback signal the anchor 58 of the electromagnet 50 hits the casing 20 generating a movement in the casing 20. The movement transforms into a vibration by means of the potential energy stored in the resilient means 56. To achieve a coding of the sensory feedback as described above already known means generating pulse sequences might be used.

Moreover, the present invention solves the problems connected to the sensory feedback by means of a pin as described in EP-A1-0-607.580 in that the mouse itself vibrates making it easier for the user with a tendency to be seized with cramp and trembling to use the computer mouse 10. They do not necessarily have to touch the computer mouse with any specific position of the hand as the whole computer mouse according to the invention is moving.

Figure 5 illustrates how a cursor with a shadow is shown, when according to one embodiment of the present invention a user of the cursor touches a tracking device in a three-dimensional virtual surrounding 60, e.g. a space.

The tracking device 10 is moved to a desired virtual object 62 in form of a three-dimensional volume without the object being visible in space. However, the cursor 28 controlled by the pointer might be followed on a display means delimited by means of the solid line 64. The display means is not necessarily a computer screen 30 but may consist of any other form of picture reproduction means, e.g. a mirror.

The object 62 is visible to a user on the display means delimited by the line 64 in

figure 5, i.e. not virtually as the surroundings 60.

Moreover, the cursor 28 has a shadow 66 on the display means 64 remaining within the object, when the cursor is pulled out of the object, if the tracking device is not released by means of e.g. a pressing downwards. A user of the tracking device finds in some way
5 easier back to the object 62 in the virtual surroundings after e.g. a pause or another exit from the space of the object 62. The cursor is then integrated with the shadow when it is situated in the object 62.

The facts mentioned above are e.g. applicable in CAD programs such as ALIAS[®] i.a. being used in the car industry to design products, where it is a problem to decide, where in
10 the space depth the cursor 28 is situated. It should also be observed that the virtual space 60 may comprise numbers of space objects 62 in various geometric forms, the usefulness of the shadow 66 becoming obvious.

The depth of a space object 62 is e.g. defined by means of a coordinate system 68 in three dimensions, such as a cartesian or a polar system, etc.

Another possible application area for the embodiment above of the cursor 28 with
15 a shadow 66 is in surgery field, e.g. for training of surgical candidates or for more advanced surgery of more or less complicated operations.

A three-dimensional picture or a picture in perspective consists conventionally of a program providing mesh models of objects 62 without any space therein. The space might
20 be calculated in real time when a surface is passed in the object 62. Thus, a surface in the object 62 is defined by means of here not shown polygons rendered in real time, the necessary surface to obtain space thus being obtained.

The present invention has been described with preferred embodiments not to be considered to limit the invention. It is the definition of the claims that defines the invention
25 for the man of art.

Claims:

1. A tracking device for marking graphical details (32, 34, 36, 40, 42, 44) in connection with or comprised in a program as an interface for the access of program functions comprised in the details, characterized in that a cursor (28) controlled by means of the tracking device (10) on a display receives a sensory feedback from status signals for a cursor control in a host unit (12, 14, 30), when the cursor hits or passes said graphical details (32, 34, 36, 40, 42, 44) in such a form that means (50) provided in the tracking device (10) generate a movement (46) of the tracking device (10), where a cursor (28) being fixed in a detail can freely move within the borders of the detail (32, 34, 36, 40, 42, 44).
2. A tracking device according to claim 1, characterized in that the movement of the tracking device consists of that it vibrates, bounces, bumps or slans.
3. A tracking device according to claim 1 to 2, characterized in that the cursor can be fixed within the borders of optional details (32, 34, 36, 40, 42, 44), when the cursor (28) hits the borders or passes them and when the cursor is released during a pressing-down of the casing (20) of the tracking device.
4. A tracking device according to claim 1 to 3, characterized in that a graphical detail can consist of an icon (34), a key (40, 42, 44), a window (32) or an edge (36) delimiting the frame (30).
5. A tracking device according to claim 1 to 4, characterized in that graphical details in form of key rows are rendering different sensory feedbacks depending on the key and its function.
6. A tracking device according to claim 1 to 5, characterized in that the cursor (28) being fixed in a three-dimensional object or detail is free to move within the volume of the object or the detail.
7. A tracking device according to claim 3 to 5, characterized in that the cursor (28) provides a shadow within the object or the detail if drawn out of these without first being released.
8. A tracking device according to claim 7, characterized in that the shadow allows the cursor to be moved more easily into the object or the detail.
9. A method for marking graphical details (32, 34, 36, 40, 42, 44) in connection with or comprised in a program as an user interface for the access of program functions comprised in the details, characterized in that a cursor (28) controlled by means of the

tracking device (10) on a display receives a sensory feedback from status signals for a cursor control in a host unit (12, 14, 30) when the cursor hits or passes said graphical details (32, 34, 36, 40, 42, 44) in such a form that means (50) provided in the tracking device (10) generate a movement (46) of the tracking device (10), where a cursor (28) being fixed in a detail can freely move within the borders of the detail (32, 34, 36, 40, 42, 44).

10. A method according to claim 9, characterized in that the movement of the tracking device consists of that it vibrates, bounces, bumps or slants.

11. A method according to claim 9 to 10, characterized in that the cursor can be fixed within the borders of optional details (32, 34, 36, 40, 42, 44), when the cursor (28) hits the borders or passes them and when the cursor is released during a pressing-down of the casing (20) of the tracking device.

12. A method according to claim 9 to 11, characterized in that a graphical detail can consist of an icon (34), a key (40, 42, 44), a window (32) or an edge (36) delimiting the frame (30).

13. A method according to claim 9 to 12, characterized in that graphical details in form of key rows are rendering different sensory feedbacks depending on the key and its function.

14. A method according to claim 9 to 13, characterized in that the cursor (28) being fixed in a three-dimensional object or detail is free to move within the volume of the object or the detail.

15. A method according to claim 9 to 14, characterized in that the cursor (28) provides a shadow within the object or the detail if drawn out of these without first being released.

16. A method according to claim 15, characterized in that the shadow allows the cursor to be moved more easily into the object or the detail.




Fig. 1

SUBSTITUTE SHEET (RULE 26)

WO 97/31333

PCT/SE97/00293




Fig. 2




Fig. 3

3/4




Fig. 4
SUBSTITUTE SHEET (RULE 26)

4/4




Fig. 5



COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

the specification of which:

(check one) ☒ is attached hereto
☐ was filed on 24 August 1998 as Application Serial No. 09/125711 and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendments referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

SWEDEN

9600686-1

23 FEBRUARY 1996

(International Application PCT/SE97/00293

21 February 1997)

Country

Serial No.

Filing Date

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Serial No.

Filing Date

As a named inventor, I hereby appoint: RONALD A. SANDLER, Reg. No. 23,066; JAMES B. RADEN, Reg. No. 24,594; SANDRA B. WEISS, Reg. No. 30,814; LESTER J. SAVIT, Reg. No. 30,523; Reg. No. 24,594; ALFRED E. HALL, Reg. No. 24,099; H. DUANE SWITZER, Reg. No. 22,431; RUSSELL L. MCILWAIN, Reg. No. 28,641; JOSEPH H. GOLANT, Reg. No. 24,210; JOHN A. MARLOTT, Reg. No. 37,031; ROBERT J. ZEITLER, Reg. No. 37,973; KENNETH R. ADAMO, Reg. No. 27,299; BARBARA ARNDT, Reg. No. 37,768; THOMAS A. BRIGGS, Reg. No. 38,391; DAVID B. COCHRAN, Reg. No. 39,142; REGAN J. FAY, Reg. No. 26,878; CALVIN P. GRIFFITH, Reg. No. 34,831; TIMOTHY J. O'HEARN, Reg. No. 31,552; JAY RYAN, Reg. No. 37,064; MICHAEL W. VARY, Reg. No. 30,811; CHERYL L. FARINE, Reg. No. 36,796; F. DREXEL FEELING, Reg. No. 40,602; NESTOR W. SHUST, Reg. No. 23,034; JAMES L. WAMSLEY, Reg. No. 31,578; MICHELLE YODER, Reg. No. 41,562; ROBERT W. TURNER, Reg. No. 24,184; JOHN P. PINKERTON, Reg. No. 28,746; MARK N. REITER, Reg. No. 35,785; RONALD A. ANTUSH, Reg. No. 36,734; HILDA C. GALVAN, Reg. No. 39,680; D. SCOTTHEMINGWAY, Reg. No. 36,366 and DAVID L. WITCOFF, Reg. No. 31,443 who are with the firm of JONES, DAY, REAVIS & POGUE, as my attorneys or patent agents, with full power of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected herewith.

I request that all correspondence be directed to:

☒ Ronald A. Sandler, Esq.
JONES, DAY, REAVIS & POGUE
77 West Wacker Drive
Chicago, Illinois 60601-1692

☐ Regan Fay, Esq.
JONES, DAY, REAVIS & POGUE
North Point
901 Lakeside Avenue
Cleveland, Ohio 44114

☐ Robert Turner, Esq.
JONES, DAY, REAVIS & POGUE
2300 Trammell Crow Center
2001 Ross Avenue
Dallas, Texas 75201

Please direct all telephone calls to
(312) 269-4352.

Please direct all telephone calls to
(216) 586-3939

Please direct all telephone calls to
(214) 220-3939

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Thomas Shalit

Inventor's signature: [Signature]

Date: 5 Oct 1998

Residence: Sveaborgs V. 63

S-905 80 Umeå

Sweden

Citizenship: Swedish

Post Office Address: _____